

Safety Data Sheet

Aldehyde –Fuchsin Solution-pH 1.7

Section 1 - Chemical Product and Company Identification

SDS Name: Aldehyde-Fuchsin Solution-pH 1.7

Catalog Numbers: E-327-2

Company Identification: ROWLEY BIOCHEMICAL
10 ELECTRONICS AVENUE
DANVERS, MA 01923

For information, call: 978-739-4883

Emergency Number: 800-424-9300

For CHEMTREC assistance, call: 800-424-9300

Section 2 - Hazards Identification

GHS Classifications

HEALTH HAZARDS

H301-Acute Oral Toxicity: 3
H332-Acute Inhalation toxicity: 4
H315-Skin Corrosion/Skin Irritation: 2
H319-Eye damage/Irritation: 2A
H334-Respiratory Sensitization: 1B
H317-Skin Dermal Sensitization: 1B
H341-Germ Cell Mutagenicity: 2
H351-Carcinogenicity: 2
H361-Reproductive Toxicity: 2
H371-Specific Target Organ Toxicity: 2

PHYSICAL HAZARDS

H225-Flammability: 2

ENVIRONMENTAL HAZARDS

H400 Aquatic acute environmental Hazards: 1
Chronic environmental Hazards: Not classified

Pictograms or Hazard symbols and Hazard statement.



Danger: Toxic if swallowed.



Warning: Very toxic to aquatic life.



Danger: Highly flammable liquid and vapour.



Warning: Harmful if swallowed.
Harmful if inhaled.
Causes skin irritation
May Causes severe eye irritation.



Chronic

Oral, Human – woman: May cause reproductive and fetal effects.

Prolonged exposure may cause liver, kidney, and heart damage.

Suspected of causing cancer.

Precautionary Statement Prevention

H301

P264 Wash thoroughly after handling.

P270 Do not eat, drink, or smoke when using this product.

P301 + P312 If swallowed, call a physician if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

P330 Rinse mouth.

H332

P261 Avoid breathing fumes/mist/vapors.

P27 P304 + P340 If inhaled, remove person to fresh air and keep comfortable for breathing.

1 Use only outdoors or in a well-ventilated area.

P312 Call a physician if you feel unwell.

H315

P280 Wear protective gloves, clothing, and eye and face protection.

P302 + P352 If on skin, wash with plenty of water. Remove contact lenses if present and easy to do so. Continue rinsing.

P332 + P313 If skin irritation occurs, get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

H319

P305 + P351 + P338 If in eyes, rinse cautiously with water for several minutes.

P337 + P313 If eye irritation persists, get medical advice/attention.

P285 In case of inadequate ventilation, wear respiratory protection.

P304+P341 IF INHALED: if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P342+P311 if experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

H317

P272 Contaminated work clothing should not be allowed out of the work place.

P333+P313 IF ON SKIN: Wash with plenty of soap and water.

P363 Wash contaminated clothing before reuse.

H320

P264 Wash thoroughly after handling.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

H341+H361

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P281 Use personal protective equipment as required.

P308 + P313 If exposed or concerned, get medical advice/attention.

P405 Store locked up.

H371

P260 Do not breathe fume/gas/mist/vapors.

P270 Do not eat, drink, or smoke when using this product.

P309+P311 IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

H225

P210 Keep away from heat, flames, and hot surfaces. No smoking.

P233 Keep container tightly closed.

P241 Use explosive-proof equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves, clothing, and eye and face protection.

P303 + P361 + P353 If on skin (or hair) take off immediately all contaminated clothing. Rinse skin with water.

P403 + P235 Store in a well-ventilated place. Keep cool.

H351

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P281 Use personal protective equipment as required.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

Section 3 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent
569-61-9	Pararosaniline	0.5 v/v
64-17-5	Ethyl Alcohol	66.5 v/v
671-56-1	Methyl Alcohol	3.5 v/v
7647-01-0	Hydrochloric Acid	1 w/v
123-63-7	Paraldehyde	1 v/v
7732-18-5	Water	balance

Section 4 - First Aid Measures

Eye Exposure: In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

Dermal Exposure: In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes.

Oral Exposure: If Swallowing seek immediate medical advice.

Inhalation Exposure: If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.

Section 5 - Fire Fighting Measures

General Information: Containers can build up pressure if exposed to heat and/or fire. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form an explosive mixture with air. Vapors can travel to a source of ignition and flash back. Will burn if involved in a fire. Flammable Liquid. Can release vapors that form explosive mixtures at temperatures above the flashpoint. Use water spray to keep fire-exposed containers cool. Containers may explode in the heat of a fire.

Extinguishing Media: For small fires, use dry chemical, carbon dioxide, water spray or alcohol-resistant foam. For large fires, use water spray, fog, or alcohol-resistant foam. Use water spray to cool fire-exposed containers. Water may be ineffective. Do NOT use straight streams of water.

Flash Point: 16.6 deg C (61.88 deg F)

Autoignition Temperature: 363 deg C (685.40 deg F)

Explosion Limits, Lower:3.3 vol %

Upper: 19.0 vol %

NFPA Rating: (estimated) Health: 2; Flammability: 3; Instability: 0

Section 6 - Accidental Release Measures

Procedure(s) of Personal Precaution(s):

Wear protective gear. Eliminates all sources of ignition.

Methods for Cleaning up: Absorb with sand, earth or vermiculite. Carefully sweep up and containerize for proper disposal.

Section 7 - Handling and Storage

Use care when handling. Wash thoroughly after handling. Store capped at room temperature. Keep away from incompatible materials. Protect from heat. Vapors heavier than air, may travel considerable distance and ignite or explode.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Exposure Limits

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Ethanol	1000 ppm TWA	1000 ppm TWA; 1900 mg/m ³ TWA 3300 ppm IDLH	1000 ppm TWA; 1900 mg/m ³ TWA
Methanol	200 ppm TWA; 250 ppm STEL	250 ppm STEL; 200 ppm TWA; 250 ppm STEL	200 ppm TWA

OSHA Vacated PELs: Ethanol: 1000 ppm TWA; 1900 mg/m³ TWA

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant a respirator's use.

Section 9 - Physical and Chemical Properties

Physical State: Liquid

Appearance: Purple

Odor: Alcohol-like

pH: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Evaporation Rate: N/A

Viscosity: N/A

Boiling Point: N/A

Freezing/Melting Point: N/A

Decomposition Temperature: N/A

Solubility: Soluble.

Specific Gravity/Density: N/A

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.

Conditions to Avoid: Incompatible materials, ignition sources, excess heat, oxidizers.

Incompatibilities with Other Materials: Strong oxidizing agents, acids, alkali metals, ammonia, hydrazine, peroxides, sodium, acid anhydrides, calcium hypochlorite, chromyl chloride, nitrosyl perchlorate, bromine pentafluoride, perchloric acid, silver nitrate, mercuric nitrate, potassium-tert-butoxide, magnesium perchlorate, acid chlorides, platinum, uranium hexafluoride, silver oxide, iodine heptafluoride, acetyl bromide, disulfuryl difluoride, tetrachlorosilane + water, acetyl chloride, permanganic acid, ruthenium (VIII) oxide, uranyl perchlorate, potassium dioxide.

Hazardous Decomposition Products: Carbon monoxide, irritating and toxic fumes and gases, carbon dioxide.

Hazardous Polymerization: Will not occur.

Section 11 - Toxicological Information

RTECS#:

CAS# 569-61-9: CX9850100

LD50/LC50:

CAS# 569-61-9:

Oral, mouse: LD50 = 5 gm/kg

RTECS#: **Routes of exposure:** Multiple routes: May cause irritation, May be harmful by ingestion, or skin absorption. . **Basic Fuchsin is a cancer suspect Agent. Classified 2B by IARC (Possible carcinogenic to humans).**

CAS# 64-17-5: KQ6300000

LD50/LC50:

CAS# 64-17-5:

Draize test, rabbit, eye: 500 mg Severe.
Draize test, rabbit, eye: 500 mg/24H Mild.
Draize test, rabbit, skin: 20 mg/24H Moderate.
Inhalation, mouse: LC50 = 39 gm/m³/4H.
Inhalation, rat: LC50 = 20000 ppm/10H.
Oral, mouse: LD50 = 3450 mg/kg.
Oral, rabbit: LD50 = 6300 mg/kg.
Oral, rat: LD50 = 7060 mg/kg.
Oral, rat: LD50 = 9000 mg/kg; <BR.

LD50/LC50:

CAS# 67-56-1

Rabbit oral: 5628 mg/kg.
Rabbit skin: 15800 /24 H Moderate
Rabbit inhalation: 64000/ 4 hours.

LD50/LC50:

CAS#7647-01-0:

Gas, rat: LC50 =4701 ppm 0.5 hours

LD50/LC50:

CAS#123-63-7:

Oral, rat: 1530 mg/kg
Dermal, rabbit LD50: 14000 mg/kg

Solution Carcinogenicity:

Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: No information available.

Teratogenicity: Oral, Human - woman: TDLo = 41 gm/kg (female 41 week(s) after conception) Effects on Newborn - Apgar score (human only) and Effects on Newborn - other neonatal measures or effects and Effects on Newborn - drug dependence.

Reproductive Effects: Intrauterine, Human - woman: TDLo = 200 mg/kg (female 5 day(s) pre-mating) Fertility - female fertility index (e.g. # females pregnant per # sperm positive females; # females pregnant per # females mated).

Neurotoxicity: No information available.

Mutagenicity: DNA Inhibition: Human, Lymphocyte = 220 mmol/L.; Cytogenetic Analysis: Human, Lymphocyte = 1160 gm/L.; Cytogenetic Analysis: Human, Fibroblast = 12000 ppm.; Cytogenetic Analysis: Human, Leukocyte = 1 pph/72H (Continuous).; Sister Chromatid Exchange: Human, Lymphocyte = 500 ppm/72H (Continuous).

Other Studies: Standard Draize Test(Skin, rabbit) = 20 mg/24H (Moderate) Standard Draize Test: Administration into the eye (rabbit) = 500 mg (Severe).

Section 12 - Ecological Information

Ecotoxicity: Ethanol: LC50 14000 mg/l 96 hours [Rainbow Trout]. LC50 11200 mg/l 24 hours[fingerling trout].

Environmental: When released to the atmosphere it will photo degrade in hours (polluted urban atmosphere) to an estimated range of 4 to 6 days in less polluted areas. Rainout should be significant.

Physical: No information available.

Other: No information available.

Section 13 - Disposal Considerations

Appropriate method of disposal of substance or preparation:

Handled as hazardous waste and sent to an RCRA approved incinerator or disposed in an RCRA approved wasted facility.

Section 14 – Transport Information

DOT

Proper shipping name: Alcohols, n.o.s.

UN1987

PG II

Hazard class 3 (flammable)

Section 15 - Regulatory Information

Canada Regulatory Information

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the SDS contains all the information required by the CPR.

California Prop 65

WARNING: Ethanol, is a chemical known to the state of California to cause developmental reproductive toxicity.

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols:

F

Risk Phrases:

R 11 Highly flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed

R36/38 Irritating to eyes and skin

R51 Toxic to aquatic organisms

R61 May cause harm to the unborn child

Safety Phrases:

S20/21 When using do not eat, drink or smoke

S2 Keep out of the reach of children

S 16 Keep away from sources of ignition - No smoking.

- S 33 Take precautionary measures against static discharges.
- S 7 Keep container tightly closed.
- S 9 Keep container in a well-ventilated place

Section 16 - Additional Information

MSDS Creation Date: 10/21/12

Revision #1. RC 12/10/14

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Rowley Biochemical, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rowley Biochemical, Inc. has been advised of the possibility of such damages.