

Safety Data Sheet

Copper Shot

Section 1 - Chemical Product and Company Identification

SDS Name: Copper Shot

Catalog Numbers: K-693-2, C-201-3

Company Identification: Transene Company, Inc., DBA ROWLEY BIOCHEMICAL, Inc.
10 ELECTRONICS AVENUE
DANVERS, MA 01923

For information, call: 978-739-4883

Emergency Number: 800-424-9300

For CHEMTREC assistance, call: 800-424-9300

Section 2 - Hazards Identification

GHS Classifications

Based on available data, the GHS classification criteria are not met.

Consists of unknown acute oral toxicity.

Consists of unknown acute dermal toxicity.

Pictograms or Hazard symbols and Hazard statement(s):

No GHS Hazard Symbols.

Hazard Statements:

No GHS Hazard Statements.

Precautionary Statements:

No GHS Precautionary Statements.

Section 3 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent
7440-50-8	Copper	<100

Section 4 - First Aid Measures

Eye Exposure: In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Get medical attention.

Dermal Exposure: In case of skin contact, flush with copious amounts of water for at least 15 minutes. Get medical attention if symptoms occur.

Oral Exposure: If swallowed, get immediate medical advice. Rinse mouth with water and drink small quantities of water (stop if the exposed person feels sick as vomiting may be dangerous).

Inhalation Exposure: If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating gases may be generated by thermal decomposition or combustion.

Extinguishing Media: Use dry chemical, carbon dioxide, dry sand, water spray, or alcohol-resistant foam.

Hazardous Combustion Products: Copper oxides and potentially irritating fumes and gases.

Flash Point: Not available

Autoignition Temperature: Not available

Explosion Limits, Lower: Not available

Upper: Not available

NFPA Rating: (estimated) Health: 1; Flammability: 1; Instability: 1

Section 6 - Accidental Release Measures

Procedure(s) of Personal Precaution(s):

Wear personal protective equipment. Do not ingest or inhale. Do not get on skin or clothing. Do not get in eyes. Ensure adequate ventilation.

Methods for Cleaning up: Carefully sweep or vacuum up spillage and containerize for proper disposal. Avoid generating dusty conditions. Provide ventilation. Do not release to the environment. Do not release to drains.

Section 7 - Handling and Storage

Use care when handling. Wear personal protective equipment. Wash thoroughly after handling. Ensure adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Minimize dust generation and accumulation. Keep in a tightly closed container. Air sensitive. Store in a cool, dry, and well-ventilated area. Keep away from incompatible materials.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant a respirator's use.

Exposure Limits:

Chemical Name	ACGIH - TLV	NIOSH - IDLH	OSHA - Final PELs
Copper CAS#7440-50-8	0.2 mg/m ³ TWA 1 mg/m ³ TWA	100 mg/m ³ IDLH 1 mg/m ³ TWA 0.1 mg/m ³ TWA	0.1 mg/m ³ TWA 1 mg/m ³ TWA

OSHA Vacated PELs: Copper: TWA 0.1 mg/m³

Section 9 - Physical and Chemical Properties

Physical State: Shot, solid

Appearance: Brown

Odor: Odorless

Vapor Pressure: Not available

Odor Threshold: Not available

Vapor Density: Not available

pH: Not available

Relative Density: Not available

Melting point/freezing point: 1083°C (1982°F)

Solubility: Insoluble in water
Boiling Point: 2567°C (4653°F)
Flash Point: Not available
Evaporation Rate: Not available
Flammability (solid, gas): Not available
Partition coefficient: n-octanol/water: Not available
Autoignition Temperature: Not available
Decomposition Temperature: Not available
Viscosity: Not available
Specific Gravity/Density: Not available

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures. Air sensitive.
Conditions to Avoid: Incompatible materials and excess heat. Avoid dust formation. Avoid exposure to air.
Incompatibilities with Other Materials: Strong oxidizing agents, acids.
Hazardous Decomposition Products: Copper oxides and potentially irritating fumes and gases.

Section 11 - Toxicological Information

CAS#7440-50-8 Copper: RTECS#: GL5325000

LD50 Oral: Not available
LD50 Dermal: Not available
LC50 Inhalation: >5.11 mg/L (rat) 4h

Carcinogenicity: Copper CAS#7440-50-8 is not listed by IARC, NTP, ACGIH, OSHA, or California Prop. 65.

Information on the likely routes of exposure: Routes of entry anticipated: oral, dermal, inhalation, and eye.

Epidemiology: Not available.

Teratogenicity: Not available.

Reproductive Effects: Not available.

Developmental Effects: Not available.

Neurotoxicity: Not available.

Mutagenicity: Not available.

Specific Target Organ Toxicity, Single Exposure: Not available.

Specific Target Organ Toxicity, Repeated Exposure: Not available.

Symptoms associated with exposure: No specific data available.

The toxicological properties of this material have not been thoroughly investigated.

Section 12 - Ecological Information

Ecotoxicity: Do not release to the environment. Do not release to drains.

CAS#7440-50-8 Copper:

LC50, freshwater fish: 1.25 mg/L 96h static (lepomis macrochirus)(bluegill)

LC50, freshwater fish: <0.3 mg/L 96h static (pimephales promelas)(fathead minnow)

LC50, freshwater fish: 0.2 mg/L 96h flow-through (pimephales promelas)(fathead minnow)

EC50, algae: 0.031-0.054 mg/L 96h static (pseudokirchneriella subcapitata)(green algae)

EC50, algae: 0.0426-0.0535 mg/L 72h static (pseudokirchneriella subcapitata)(green algae)

EC50, water flea: 0.03 mg/L 48h static (daphnia magna)

Persistence and degradability: Not available.

Bio-accumulative potential: Not available.

Mobility: Will not likely be mobile in the environment due to its low water solubility.

Section 13 - Disposal Considerations

DISPOSAL: Dispose of in accordance with all federal, state, and local regulations.

Section 14 - Transport Information

DOT

Non-Regulated

Section 15 - Regulatory Information

Canada Regulatory Information

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the SDS contains all the information required by the CPR.

Section 16 - Additional Information

SDS Creation Date: 8-19-09

Revision #1: 11-17-16 RC

Revision #2: 6-2-25

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Rowley Biochemical, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages, howsoever arising, even if Rowley Biochemical, Inc. has been advised of the possibility of such damages.