

# Safety Data Sheet

## Ehrlich's Hematoxylin, Diluted

### Section 1 - Chemical Product and Company Identification

**SDS Name:** Ehrlich's Hematoxylin, Diluted

**Catalog Numbers:** H-503-2A

**Company Identification:** Transene Company, Inc., DBA ROWLEY BIOCHEMICAL, Inc.  
10 ELECTRONICS AVENUE  
DANVERS, MA 01923

**For information, call:** 978-739-4883

**Emergency Number:** 800-424-9300

**For CHEMTREC assistance, call:** 800-424-9300

### Section 2 - Hazards Identification

#### GHS Classifications

H315-Skin corrosion/irritation: 2

H319-Serious eye damage/eye irritation: 2A

H371-Specific target organ toxicity, single exposure: 2

H373-Specific target organ toxicity, repeated exposure: 2

5.1% of the mixture consists of ingredients of unknown acute dermal toxicity.

#### Pictograms or Hazard symbols and Hazard statement(s):



Signal Word: Warning

#### Hazard Statements:

H315-Causes skin irritation

H319-Causes serious eye irritation

H371-May cause damage to organs (target organs: respiratory system, central nervous system, and optic nerve).

H373-May cause damage to organs through prolonged or repeated exposure (target organs: kidney, liver, and blood)

## Precautionary Statements:

P260-Do not breathe dust/fume/gas/mist/vapours/spray.

P264-Wash thoroughly after handling.

P270-Do not eat, drink, or smoke when using this product.

P280-Wear protective gloves/eye protection/face protection.

P302+P352-If on skin: Wash with plenty of soap and water.

P305+P351+P338-If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P311-If exposed or concerned: Call a Poison Center/doctor.

P314-Get medical advice/attention if you feel unwell.

P332+P313-If skin irritation occurs: Get medical advice/attention.

P337+P313-If eye irritation persists: Get medical advice/attention.

P362+P364-Take off contaminated clothing and wash it before reuse.

P405-Store locked up.

P501-Dispose of contents/container in accordance with local/regional/national/international regulations.

### Section 3 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent
7784-26-1	Ammonium Aluminum Sulfate Dodecahydrate	0.16 w/v
517-28-2	Hematoxylin	0.1 w/v
7681-55-2	Sodium Iodate	0.01 w/v
64-17-5	Ethyl Alcohol	5 v/v
67-56-1	Methyl Alcohol	0.3 v/v
64-19-7	Acetic Acid	2.2 v/v
56-81-5	Glycerin	5.4 v/v
7732-18-5	Water	Balance

### Section 4 - First Aid Measures

**Eye Exposure:** In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Get immediate medical attention.

**Dermal Exposure:** In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention.

**Oral Exposure:** If swallowed, get immediate medical attention. Do not induce vomiting. Rinse mouth with water.

**Inhalation Exposure:** If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.

## Section 5 - Fire Fighting Measures

**General Information:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating gases may be generated by thermal decomposition or combustion.

**Extinguishing Media:** Use dry chemical, carbon dioxide, dry sand, water spray, or alcohol-resistant foam.

**Hazardous Combustion Products:** Carbon oxides, nitrogen oxides, sulfur oxides, aluminum oxides, sodium oxides, hydrogen iodide, formaldehyde, irritating and toxic fumes and gases.

**Flash Point:** Not available

**Autoignition Temperature:** Not available

**Explosion Limits, Lower:** Not available

**Upper:** Not available

**NFPA Rating:** (estimated) Health: 1; Flammability: 0; Instability: 0

## Section 6 - Accidental Release Measures

**Procedure(s) of Personal Precaution(s):**

Wear personal protective equipment. Do not ingest or inhale. Do not get on skin or clothing. Do not get in eyes. Ensure adequate ventilation.

**Methods for Cleaning up:** Absorb with sand, earth, or vermiculite. Carefully sweep up and containerize for proper disposal. Do not release to the environment. Do not release to drains.

## Section 7 - Handling and Storage

Use care when handling. Wear personal protective equipment. Wash thoroughly after handling. Ensure adequate ventilation. Do not ingest or inhale. Do not get on skin or clothing. Do not get in eyes. Store in a tightly closed container in a cool, dry, and well-ventilated area. Light sensitive. Keep away from incompatible materials.

## Section 8 - Exposure Controls, Personal Protection

**Engineering Controls:** Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

**Personal Protective Equipment**

**Eyes:** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin:** Wear appropriate protective gloves to prevent skin exposure.

**Clothing:** Wear appropriate protective clothing to prevent skin exposure.

**Respirators:** A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant a respirator's use.

**Exposure Limits:**

Chemical Name	ACGIH - TLV	NIOSH - IDLH	OSHA - Final PELs
Ammonium Aluminum Sulfate Dodecahydrate CAS#7784-26-1	Not listed	2 mg/m <sup>3</sup> TWA	2 mg/m <sup>3</sup> TWA (vacated)
Hematoxylin CAS#517-28-2	Not listed	Not listed	Not listed
Sodium Iodate CAS#7681-55-2	Not listed	Not listed	Not listed
Ethyl Alcohol CAS#64-17-5	1000 ppm STEL	1000 ppm TWA 1900 mg/m <sup>3</sup> TWA 3300 ppm IDLH	1000 ppm TWA 1900 mg/m <sup>3</sup> TWA
Methyl Alcohol CAS#67-56-1	200 ppm TWA 250 ppm STEL	200 ppm TWA 260 mg/m <sup>3</sup> TWA 250 ppm STEL 325 mg/m <sup>3</sup> STEL 6000 ppm IDLH	200 ppm TWA 260 mg/m <sup>3</sup> TWA
Glacial Acetic Acid CAS#64-19-7	10 ppm TWA 15 ppm STEL	10 ppm TWA 25 mg/m <sup>3</sup> TWA 15 ppm STEL 37 mg/m <sup>3</sup> STEL 50 ppm IDLH	10 ppm TWA 25 mg/m <sup>3</sup> TWA
Glycerin CAS#56-81-5	Not listed	Not listed	5 mg/m <sup>3</sup> TWA 15 mg/m <sup>3</sup> TWA

**OSHA Vacated PELs:** Ammonium Aluminum Sulfate Dodecahydrate: 2 mg/m<sup>3</sup> TWA  
 Ethyl Alcohol: 1000 ppm TWA; 1900 mg/m<sup>3</sup> TWA  
 Methyl Alcohol: 200 ppm TWA; 260 mg/m<sup>3</sup> TWA; 250 ppm STEL;  
 325 mg/m<sup>3</sup> STEL  
 Glacial Acetic Acid: 10 ppm TWA; 25 mg/m<sup>3</sup> TWA  
 Glycerin: 5 mg/m<sup>3</sup> TWA; 10 mg/m<sup>3</sup> TWA

Section 9 - Physical and Chemical Properties
--

**Physical State:** Liquid  
**Appearance:** Dark orange-amber  
**Odor:** Vinegar-like  
**Vapor Pressure:** Not available  
**Odor Threshold:** Not available  
**Vapor Density:** Not available  
**pH:** Approx. 2.5  
**Relative Density:** Not available  
**Melting point/freezing point:** Not available

**Solubility:** Soluble in water  
**Boiling Point:** Not available  
**Flash Point:** Not available  
**Evaporation Rate:** Not available  
**Flammability (solid, gas):** Not available  
**Partition coefficient: n-octanol/water:** Not available  
**Autoignition Temperature:** Not available  
**Decomposition Temperature:** Not available  
**Viscosity:** Not available  
**Specific Gravity/Density:** Not available

#### Section 10 - Stability and Reactivity

**Chemical Stability:** Stable under normal temperatures and pressures.

**Conditions to Avoid:** Incompatible materials, ignition sources, and excess heat. Light sensitive.

**Incompatibilities with Other Materials:** Strong oxidizing agents, reducing agents, strong bases, nitric acid, acids, alkali metals, ammonia, hydrazine, peroxides, sodium, acid anhydrides, calcium hypochlorite, chromyl chloride, nitrosyl perchlorate, bromine pentafluoride, perchloric acid, silver nitrate, mercuric nitrate, potassium-tert-butoxide, magnesium perchlorate, acid chlorides, platinum, uranium hexafluoride, silver oxide, iodine heptafluoride, acetyl bromide, disulfuryl difluoride, tetrachlorosilane + water, acetyl chloride, permanganic acid, ruthenium (VIII) oxide, uranyl perchlorate, potassium dioxide, chromic acid, ethylene glycol, phosphorous trichloride, oxidizers, sodium peroxide, strong caustics, carbonates, hydroxides, oxides, organic materials, sulfides, metals, finely powdered metals, combustible material, and phosphates.

**Hazardous Decomposition Products:** Carbon oxides, nitrogen oxides, sulfur oxides, aluminum oxides, sodium oxides, hydrogen iodide, formaldehyde, irritating and toxic fumes and gases.

#### Section 11 - Toxicological Information

**CAS#7784-26-1 Ammonium Aluminum Sulfate Dodecahydrate:**

LD50 Oral: Not available

LD50 Dermal: >2000 mg/kg (rat)

LC50 Inhalation: Not available

**Carcinogenicity:** Ammonium Aluminum Sulfate Dodecahydrate CAS#7784-26-1 is not listed by IARC, NTP, ACGIH, OSHA, or California Prop. 65.

**CAS 517-28-2 Hematoxylin: RTECS#: MH7875000**

LD50 Oral: >2000 mg/kg (rat)

LD50 Dermal: Not available

LC50 Inhalation: Not available

**Carcinogenicity:** Hematoxylin CAS#517-28-2 is not listed by IARC, NTP, ACGIH, OSHA, or California Prop. 65.

**CAS#7681-55-2 Sodium Iodate: RTECS#: NN1400000**

LD50 Oral: 505 mg/kg (mouse)

LD50 Dermal: Not available

LC50 Inhalation: Not available

**Carcinogenicity:** Sodium Iodate CAS#7681-55-2 is not listed by IARC, NTP, ACGIH, OSHA, or California Prop. 65.

**CAS#64-17-5 Ethyl Alcohol: RTECS#: KQ6300000**

LD50 Oral: 10470 mg/kg (rat)

LD50 Dermal: Not available

LC50 Inhalation: 124.7 mg/L 4h (rat)

**Tumorigen, mutagen, reproductive effector per RTECS.**

Draize test, rabbit, eye: 500 mg/24h Mild Irritant.

Skin: Repeated exposure may cause dryness or cracking.

Ethyl Alcohol overexposure may lead to headache, dizziness, tiredness, nausea, and vomiting.

**Carcinogenicity:** Ethyl Alcohol CAS#64-17-5 is not listed by OSHA. Ethyl Alcohol is listed by IARC (Group 1, Carcinogenic to Humans), NTP (Known Carcinogen), and ACGIH (A3, Animal Carcinogen). Ethyl Alcohol is listed by California Prop. 65 as a developmental carcinogen (alcoholic beverages only).

**CAS#67-56-1 Methyl Alcohol: RTECS#: PC1400000**

LD50 Oral: 100.1 mg/kg (expert judgement)

LD50 Dermal: 300.1 mg/kg (expert judgement)

LC50 Inhalation: 3.1 mg/L 4h vapor (expert judgement)

**Mutagen, reproductive effector per RTECS.**

Draize test, rabbit, eye: 100 mg/24h Moderate Irritant.

Draize test, rabbit, skin: 20 mg/24h Moderate Irritant.

**Carcinogenicity:** Methyl Alcohol CAS#67-56-1 is not listed by IARC, NTP, ACGIH, or OSHA. Methyl Alcohol is listed by California Prop. 65 as a developmental carcinogen.

**CAS#64-19-7 Glacial Acetic Acid: RTECS#: AF1225000**

LD50 Oral: 3310 mg/kg (rat)

LD50 Dermal: 1060 mg/kg (rabbit)

LC50 Inhalation: 11.4 mg/L 4h (rat)

**Mutagen, reproductive effector per RTECS.**

Skin corrosion/irritation: skin (rabbit), causes severe burns.

Serious eye damage/eye irritation: eyes (rabbit), corrosive to eyes, causes serious eye damage.

**Carcinogenicity:** Glacial Acetic Acid CAS#64-19-7 is not listed by IARC, NTP, ACGIH, OSHA, or California Prop. 65.

**CAS#56-81-5 Glycerin: RTECS#: MA8050000**

LD50 Oral: 12600 mg/kg (rat)

LD50 Dermal: >10 g/kg (rabbit)

LC50 Inhalation: >2.75 mg/L 4h mist (rat)

**Carcinogenicity:** Glycerin CAS#56-81-5 is not listed by IARC, NTP, ACGIH, OSHA, or California Prop. 65.

**Information on the likely routes of exposure:** Routes of entry anticipated: oral, dermal, inhalation, and eye.

**Epidemiology:** Not available.

**Teratogenicity:** Not available.

**Reproductive Effects:** Methyl Alcohol is a reproductive effector per RTECS.

**Developmental Effects:** Not available.

**Neurotoxicity:** Not available.

**Mutagenicity:** Methyl Alcohol is a mutagen per RTECS.

**Specific Target Organ Toxicity, Single Exposure:** Respiratory system, central nervous system, and optic nerve.

**Specific Target Organ Toxicity, Repeated Exposure:** Kidney, liver, and blood.

**Symptoms associated with exposure:** Causes serious eye irritation. Causes skin irritation. May cause damage to organs. Eye contact may result in irritation, watering, redness, and pain. Skin contact may lead to irritation, redness, blistering.

**The toxicological properties of this material have not been thoroughly investigated.**

Section 12 - Ecological Information
-------------------------------------

**Ecotoxicity:** Do not release to the environment. Do not release to drains. Harmful to aquatic life.

**CAS#517-28-2 Hematoxylin:**

LC50, freshwater fish: >35 mg/L 96h (oncorhynchus mykiss)(rainbow trout)

EC50, freshwater algae: >100 mg/L 7d (lemna minor)

EC50, water flea: 29.7 mg/L 48h (daphnia magna)

**CAS#7681-55-2 Sodium Iodate:**

LC50, freshwater fish: 220 mg/L 96h (oncorhynchus mykiss)(rainbow trout)

**CAS#64-17-5 Ethyl Alcohol:**

LC50, freshwater fish: 14200 mg/L 96h (pimephales promelas)(fathead minnow)

EC50, freshwater algae: 275 mg/L 72h (chlorella vulgaris)

EC50, water flea: 9268 mg/L 48h

EC50, water flea: 10800 mg/L 24h

EC50, microtox: 34634 mg/L 30min (photobacterium phosphoreum)

EC50, microtox: 35470 mg/L 5min (photobacterium phosphoreum)

**CAS#67-56-1 Methyl Alcohol:**

**CAS# 67-56-1 Methyl Alcohol:**

LC50, freshwater fish: 15400 mg/L 96h flow-through (lepomis macrochirus)(bluegill)

LC50, freshwater fish: 19000 mg/L 96h (oncorhynchus mykiss)(rainbow trout)  
EC50, water flea: 18260 mg/L 96h semi-static (daphnia magna)  
ErC50, algae: 22000 mg/L 96h static (pseudokirchneriella subcapitata)(green algae)  
IC50, bacteria: >1000 mg/L 3h (activated sludge)

**CAS#64-19-7 Glacial Acetic Acid:**

LC50, freshwater fish: 88 mg/L 96h (pimephales promelas)(fathead minnow)  
LC50, freshwater fish: 75 mg/L 96h (lepomis macrochirus)(bluegill)  
EC50, water flea: 95 mg/L 24h  
EC50, microtox: 8.8 mg/L 5min (photobacterium phosphoreum)

**CAS#56-81-5 Glycerin:**

LC50, freshwater fish: 54000 mg/L 96h static (oncorhynchus mykiss)(rainbow trout)

**Persistence and degradability:** Not available.

**Bio-accumulative potential:** Not available.

**Mobility:** Will likely be mobile in the environment due to its water solubility.

Section 13 - Disposal Considerations

**DISPOSAL:** Dispose of in accordance with all federal, state, and local regulations.

Section 14 - Transport Information

**DOT**

Non-Regulated

Section 15 - Regulatory Information

**Canada Regulatory Information**

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the SDS contains all the information required by the CPR.

Section 16 - Additional Information

**SDS Creation Date:** 10/21/12

**Revision #1:** 12/18/14 RC

**Revision #2:** 8-13-20

**Revision #3:** 8-29-23

**Revision #4:** 1-5-26

*The information above is believed to be accurate and represents the best information currently*

*available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Rowley Biochemical, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages, howsoever arising, even if Rowley Biochemical, Inc. has been advised of the possibility of such damages.*