

Safety Data Sheet

Gomori's Chromium Hematoxylin

Section 1 - Chemical Product and Company Identification

SDS Name: Gomori's Chromium Hematoxylin

Catalog Numbers: SO-107, F-383-3

Company Identification: Transene Company, Inc., DBA ROWLEY BIOCHEMICAL, Inc.
10 ELECTRONICS AVENUE
DANVERS, MA 01923

For information, call: 978-739-4883

Emergency Number: 800-424-9300

For CHEMTREC assistance, call: 800-424-9300

Section 2 - Hazards Identification

GHS Classifications Category

H316-Skin corrosion/irritation: 3

H317-Sensitisation, skin: 1

H334-Sensitisation, respiratory: 1

H335-Specific target organ toxicity, single exposure; Respiratory tract irritation: 3

H340-Germ cell mutagenicity: 1B

H350-Carcinogenicity: 1B

H360-Reproductive toxicity: 1B

H373-Specific target organ toxicity, repeated exposure: 2

H402-Hazardous to the aquatic environment, acute hazard: 3

H412-Hazardous to the aquatic environment, long-term hazard: 3

2.03% of the mixture consists of ingredients of unknown acute dermal toxicity.

2% of the mixture consists of ingredients of unknown acute inhalation toxicity.

Pictogram or Hazard Symbols and Hazard Statement(s):



Signal Word: Danger

Hazard Statements:

H316-Causes mild skin irritation
H317-May cause an allergic skin reaction
H334-May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335-May cause respiratory irritation
H340-May cause genetic defects
H350-May cause cancer
H360-May damage fertility or the unborn child
H373-May cause damage to organs through prolonged or repeated exposure (target organs: respiratory system, cardiovascular system, kidney, liver, and blood)
H402-Harmful to aquatic life
H412-Harmful to aquatic life with long lasting effects

Precautionary Statements:

P201-Obtain special instructions before use.
P202-Do not handle until all safety precautions have been read and understood.
P260-Do not breathe dust/fume/gas/mist/vapours/spray.
P261-Avoid breathing dust/fume/gas/mist/vapours/spray.
P271-Use only outdoors or in a well-ventilated area.
P272-Contaminated work clothing should not be allowed out of the workplace.
P273-Avoid release to the environment.
P280-Wear protective gloves/protective clothing/eye protection/face protection.
P284-In case of inadequate ventilation wear respiratory protection.
P302+P352-If on skin: Wash with plenty of soap and water.
P304+P340-If inhaled: Remove person to fresh air and keep comfortable for breathing.
P308+P313-If exposed or concerned: Get medical advice/attention.
P312-Call a Poison Center/doctor if you feel unwell.
P314-Get medical advice/attention if you feel unwell.
P332+P313-If skin irritation occurs: Get medical advice/attention.
P333+P313-If skin irritation or rash occurs: Get medical advice/attention.
P342+P311-If experiencing respiratory symptoms: Call a Poison Center/doctor.
P362+P364-Take off contaminated clothing and wash it before reuse.
P403+P233-Store in a well-ventilated place. Keep container tightly closed.
P405-Store locked up.
P501-Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent
7788-99-0	Chromium(III) Potassium Sulfate Dodecahydrate	1.5 w/v
517-28-2	Hematoxylin	0.5 w/w
7778-50-9	Potassium Dichromate	<0.10 w/v
7664-93-9	Sulfuric Acid	<0.03 v/v
7732-18-5	Water	Balance

Section 4 - First Aid Measures

Eye Exposure: In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Seek immediate medical attention.

Dermal Exposure: In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Seek medical advice.

Oral Exposure: If swallowed, seek immediate medical advice. Do NOT induce vomiting. Rinse mouth with water.

Inhalation Exposure: If inhaled, remove to fresh air. If not breathing give artificial respiration. Seek immediate medical attention.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating gases may be generated by thermal decomposition or combustion.

Extinguishing Media: Use dry chemical, carbon dioxide, dry sand, or alcohol-resistant foam.

Hazardous Combustion Products: Carbon oxides, chromium oxides, potassium oxides, sulfur oxides, hydrogen gas, irritating and toxic fumes and gases.

Flash Point: Not available

Auto ignition Temperature: Not available

Explosion Limits, Lower: Not available

Upper: Not available

NFPA Rating: (estimated) Health: 2; Flammability: 0; Instability: 0

Note: Do not allow this material to dry out. When dried from aqueous solution, remaining solids will have oxidizing properties and should be kept away from flammables or combustibles.

Section 6 - Accidental Release Measures

Procedure(s) of Personal Precaution(s):

Wear personal protective equipment. Do not ingest or inhale. Do not get on skin or clothing. Do not get in eyes. Ensure adequate ventilation. Keep away from heat.

Methods for Cleaning up: Absorb with sand, earth, or vermiculite. Carefully sweep up

and containerize for proper disposal. Do not release to the environment. Do not release to drains.

Section 7 - Handling and Storage

Use care when handling. Wear personal protective equipment. Use only under a chemical hood. Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not ingest. Do not breathe vapors/mist. Keep in a tightly closed container. **Light sensitive.** Store in a cool, dry, and well-ventilated area. Keep away from clothing and other combustible materials. Keep away from incompatible materials.

Note: Do not allow this material to dry out. When dried from aqueous solution, remaining solids will have oxidizing properties and should be kept away from flammables or combustibles.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant a respirator's use.

Exposure Limits:

Chemical Name	ACGIH - TLV	NIOSH - IDLH	OSHA - Final PELs
Chromium (III) Potassium Sulfate CAS#7788-99-0	Not listed	0.5 mg/m ³ TWA 25 mg/m ³ IDLH	0.5 mg/m ³ TWA (vacated)
Hematoxylin CAS#517-28-2	Not listed	Not listed	Not listed
Potassium Dichromate CAS#7778-50-9	0.0002 mg/m ³ TWA 0.0005 mg/m ³ Skin STEL	0.0002 mg/m ³ TWA 15 mg/m ³ IDLH	0.1 mg/m ³ Ceiling
Sulfuric Acid CAS#7664-93-9	0.2 mg/m ³ TWA	1 mg/m ³ TWA 15 mg/m ³ IDLH	1 mg/m ³ TWA

OSHA Vacated PELs: Chromium (III) Potassium Sulfate: 0.5 mg/m³ TWA
Potassium Dichromate: 0.1 mg/m³ Ceiling
Sulfuric Acid: 1 mg/m³ TWA

Section 9 - Physical and Chemical Properties

Physical State: Liquid
Appearance: Dark maroon
Odor: Odorless
Vapor Pressure: Not available
Odor Threshold: Not available
Vapor Density: Not available
pH: Approx. 3.6
Relative Density: Not available
Melting point/freezing point: Not available
Solubility: Soluble in water
Boiling Point: Not available
Flash Point: Not available
Evaporation Rate: Not available
Flammability (solid, gas): Not applicable
Partition coefficient: n-octanol/water: Not available
Autoignition Temperature: Not available
Decomposition Temperature: Not available
Viscosity: Not available
Specific Gravity/Density: Not available

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.
Conditions to Avoid: Incompatible materials, ignition sources, and excess heat. Avoid exposure to light. Do not let material dry out.
Incompatibilities with Other Materials: Strong oxidizing agents, reducing agents, strong bases, acids, acid anhydrides, organic materials, finely powdered metals, peroxides, water, metals, alcohols, potassium chlorate, potassium perchlorate, potassium permanganate, sodium, lithium, halogens, metal acetylides, oxides, hydrides, cyanides, metal oxides, amines, hydroxides, sulfides, sulfites, formaldehyde, chlorates, carbides, carbonates, picrates, alkali compounds, and nitrates.
Hazardous Decomposition Products: Carbon oxides, chromium oxides, potassium oxides, sulfur oxides, hydrogen gas, hydrogen chloride fumes, irritating and toxic fumes and gases.

Note: Do not allow this material to dry out. When dried from aqueous solution, remaining solids will have oxidizing properties and should be kept away from flammables or combustibles.

Section 11 - Toxicological Information

CAS#7788-99-0 Chromium (III) Potassium Sulfate: RTECS#: GB6850000

LD50 Oral: 3530 mg/kg (rat)

LD50 Dermal: Not available

LC50 Inhalation: Not available

Carcinogenicity: Chromium (III) Potassium Sulfate CAS#7788-99-0 is not listed by IARC, NTP, ACGIH, OSHA, or California Prop. 65.

CAS#517-28-2 Hematoxylin: RTECS#: MH7875000

LD50 Oral: >2000 mg/kg (rat)

LD50 Dermal: Not available

LC50 Inhalation: Not available

Carcinogenicity: Hematoxylin CAS#517-28-2 is not listed by IARC, NTP, ACGIH, OSHA, or California Prop. 65. See RTECS – tumorigenic effects have been reported in experimental animals.

CAS#7778-50-9 Potassium Dichromate: RTECS#: HX7680000

LD50 Oral: 90.5 mg/kg (rat)

LD50 Dermal: 1150 mg/kg (rabbit)

LC50 Inhalation: 0.09 mg/L 4h (rat)

Carcinogenicity: Potassium Dichromate CAS#7778-50-9 is not listed by OSHA. Potassium Dichromate is listed by IARC (Group 1, Carcinogenic to Humans), NTP (Known Carcinogen), ACGIH (A1, Known Human Carcinogen), and California Prop. 65 as a carcinogen, developmental toxin, male and female reproductive toxin.

CAS#7664-93-9 Sulfuric Acid: RTECS#: WS5600000

LD50 Oral: 2140 mg/kg (rat)

LD50 Dermal: Not available

LC50 Inhalation: 0.375 mg/L 4h (rat)

Investigated as a tumorigen, mutagen, and reproductive effector.

Carcinogenicity: Sulfuric Acid CAS#7664-93-9 is not listed by OSHA. Sulfuric Acid ("strong inorganic acid mists containing sulfuric acid") is listed by IARC (Group 1, Carcinogenic to Humans), NTP (Known Carcinogen), ACGIH (A2, Suspected Human Carcinogen), and California Prop. 65 as a carcinogen.

Information on the likely routes of exposure: Routes of entry anticipated: oral, dermal, inhalation, and eye.

Epidemiology: Not available.

Teratogenicity: May cause harm to the unborn child (Potassium Dichromate).

Reproductive Effects: May damage fertility or the unborn child (Potassium Dichromate).

Developmental Effects: Component substance is listed on California Prop. 65 as a developmental hazard (Potassium Dichromate).

Neurotoxicity: Not available.

Mutagenicity: May cause genetic defects (Potassium Dichromate).

Specific Target Organ Toxicity, Single Exposure: Not available.

Specific Target Organ Toxicity, Repeated Exposure: Respiratory system, cardiovascular system, kidney, liver, and blood.

Symptoms associated with exposure: Skin contact may cause irritation and/or an allergic skin reaction. May cause skin and/or respiratory sensitization. Inhalation may cause breathing difficulties or allergy/asthma symptoms. May cause genetic defects. May damage fertility or the unborn child. May cause cancer.

The toxicological properties of this material have not been thoroughly investigated.

Section 12 - Ecological Information

Ecotoxicity: Do not release to the environment. Do not release to drains. Harmful to aquatic life. May cause long-term adverse effects in the aquatic environment.

CAS#7788-99-0 Chromium (III) Potassium Sulfate:

EC50, microtox: 10.7 mg/L 5min as Cr³⁺ (photobacterium phosphoreum)

CAS#517-28-2 Hematoxylin:

LC50, freshwater fish: >35 mg/L 96h (oncorhynchus mykiss)(rainbow trout)

EC50, freshwater algae: >100 mg/L 7d (lemna minor)

EC50, water flea: ca. 29.7 mg/L 48h static (daphnia magna)

CAS#7778-50-9 Potassium Dichromate:

LC50, freshwater fish: 14-20.9 mg/L 96h (pimephales promelas)(fathead minnow)

LC50, freshwater fish: 58.5 mg/L 96h (danio rerio)(zebra fish)

LC50, freshwater fish: >139 mg/L 96h static (cyprinus carpio)(carp)

LC50, freshwater fish: 12.3 mg/L 96h semi-static (oncorhynchus mykiss)(rainbow trout)

ErC50, algae: 0.233 mg/L 72h static (selenastrum capricornutum)(green algae)

EC50, water flea: 0.035 mg/L 48h (daphnia magna)

CAS#7664-939 Sulfuric Acid:

LC50, freshwater fish: >500 mg/L 96h static (brachydanio rerio)

LC50, freshwater fish: 42 mg/L (gambusia affinis)(mosquito fish)

LC50, flounder: 100-330 mg/L 48h (platichthys flesus)(European flounder)

LC50, common shrimp: 70-80 mg/L 48h (crangon)

EC50, algae: >100 mg/L 72h static (desmodesmus subspicatus)(green algae)

EC50, water flea: >100 mg/L 48h static (daphnia magna)

Persistence and degradability: Not available.

Bio-accumulative potential: Not available.

Mobility: Will likely be mobile in the environment due to its water solubility.

Section 13 - Disposal Considerations

DISPOSAL: Dispose of in accordance with all federal, state, and local regulations.

Section 14 – Transport Information

DOT

Non-Regulated

Section 15 - Regulatory Information

Canada Regulatory Information

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the SDS contains all the information required by the CPR.

Section 16 - Additional Information

SDS Creation Date: 1-8-10

Revision #1: 3-2-15 RC

Revision #2: 3-5-20

Revision #3: 5-9-22

Revision #4: 6-5-24

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Rowley Biochemical, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages, howsoever arising, even if Rowley Biochemical, Inc. has been advised of the possibility of such damages.