

Safety Data Sheet

ROSIN ALCOHOL WORKING SOLUTION

Section 1 - Chemical Product and Company Identification

SDS Name: Rosin Alcohol Working Solution

Catalog Numbers: SO-921, A-130-2A, A-132-2A, L-773-2A

Company Identification: Transene Company, Inc., DBA ROWLEY BIOCHEMICAL, Inc.
10 ELECTRONICS AVENUE
DANVERS, MA 01923

For information, call: 978-739-4883

Emergency Number: 800-424-9300

For CHEMTREC assistance, call: 800-424-9300

Section 2 - Hazards Identification

GHS Classifications

H225-Flammable liquids: 2

H301-Acute toxicity, oral: 3

H317-Sensitisation, skin: 1

H319-Serious eye damage/eye Irritation: 2A

H370-Specific target organ toxicity, single exposure: 1

H372-Specific target organ toxicity, repeated exposure: 1

Pictograms or Hazard symbols and Hazard statement(s):



Signal word: Danger

Hazard statements:

H225-Highly flammable liquid and vapour

H301-Toxic if swallowed

H317-May cause an allergic skin reaction

H319-Causes serious eye irritation

H370-Causes damage to organs (target organs: respiratory system, central nervous system, and optic nerve).

H372-Causes damage to organs through prolonged or repeated exposure (target organs: kidney, liver, and blood).

Precautionary Statements:

P210-Keep away from heat/sparks/open flames/hot surfaces.-No smoking.

P233-Keep container tightly closed.

P240-Ground/Bond container and receiving equipment.

P241-Use explosion-proof electrical/ventilating/lighting/equipment.

P242-Use only non-sparking tools.

P243-Take precautionary measures against static discharge.

P260-Do not breathe dust/fume/gas/mist/vapours/spray.

P261-Avoid breathing dust/fume/gas/mist/vapours/spray.

P264-Wash thoroughly after handling.

P270-Do not eat, drink, or smoke when using this product.

P272-Contaminated work clothing should not be allowed out of the workplace.

P280-Wear protective gloves/eye protection/face protection.

P301+P310-If swallowed: Immediately call a Poison Center or doctor/physician.

P302+P352-If on skin: Wash with plenty of soap and water.

P303+P361+P353-If on skin (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338-If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P307+P311-If exposed: Call a Poison Center or doctor/physician.

P314-Get medical advice/attention if you feel unwell.

P330-Rinse mouth.

P333+P313-If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P363-Wash contaminated clothing before reuse.

P370+P378-In case of fire: Use dry chemical, carbon dioxide, dry sand, water spray or alcohol-resistant foam to extinguish.

P403+P235-Store in a well-ventilated place. Keep cool.

P405-Store locked up.

P501-Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent
8050-09-7	Rosin, gum	1.1 w/v
64-17-5	Ethyl alcohol	84 v/v
67-56-1	Methyl alcohol	4 v/v
7732-18-5	Water	balance

Section 4 - First Aid Measures

Eye Exposure: In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

Dermal Exposure: In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Seek medical attention.

Oral Exposure: If swallowed, seek immediate medical advice. Do not induce vomiting.

Inhalation Exposure: If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.

Section 5 - Fire Fighting Measures

General Information: Containers can build up pressure if exposed to heat and/or fire. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form an explosive mixture with air. Vapors can travel to a source of ignition and flash back. Will burn if involved in a fire. Flammable Liquid. Can release vapors that form explosive mixtures at temperatures above the flashpoint. Use water spray to keep fire-exposed containers cool. Containers may explode in the heat of a fire.

Extinguishing Media: For small fires, use dry chemical, carbon dioxide, dry sand, water spray or alcohol-resistant foam. For large fires, use water spray, fog, or alcohol-resistant foam. Use water spray to cool fire-exposed containers. Water may be ineffective. Do NOT use straight streams of water.

Hazardous Combustion Products: Carbon oxides, irritating toxic fumes and gases.

Flash Point: Not available

Autoignition Temperature: Not available

Explosion Limits, Lower: Not available

Upper: Not available

NFPA Rating: (estimated) Health: 2; Flammability: 4; Instability: 0

NOTE: Static discharge could act as an ignition source.

Section 6 - Accidental Release Measures

Procedure(s) of Personal Precaution(s):

Wear personal protective equipment. Do not ingest or inhale. Do not get on skin or clothing. Do not get in eyes. Ensure adequate ventilation. Keep away from heat. Eliminate all sources of ignition.

Methods for Cleaning up: Absorb with sand, earth, or vermiculite. Carefully sweep up and containerize for proper disposal. Do not release to the environment. Do not release to drains. Ground equipment and use only non-sparking tools.

Section 7 - Handling and Storage

Use care when handling. Wear personal protective equipment. Wash thoroughly after handling. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Store in a cool, dry, well-ventilated area. Keep in a tightly closed and non-metal container. Keep away from incompatible materials. Protect from heat. Vapors heavier than air may travel considerable distance and ignite or explode.

NOTE: Static discharge could act as an ignition source. Ground equipment and use only non-sparking tools.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant a respirator's use.

Exposure Limits:

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Rosin, gum CAS#8050-09-7	0.001 mg/m3 TWA	0.1 mg/m3 TWA	0.1 mg/m3 TWA (vacated)
Ethanol CAS#64-17-5	1000 ppm STEL	1000 ppm TWA 1900 mg/m3 TWA 3300 ppm IDLH	1000 ppm TWA 1900 mg/m3 TWA
Methanol CAS#67-56-1	200 ppm TWA 250 ppm STEL	200 ppm TWA 260 mg/m3 TWA 250 ppm STEL 325 mg/m3 STEL 6000 ppm IDLH	200 ppm TWA 260 mg/m3 TWA 250 ppm STEL 325 mg/m3 STEL

OSHA Vacated PELs: Rosin, gum: 0.1 mg/m3 TWA

Ethanol: 1000 ppm TWA; 1900 mg/m3 TWA

Methanol: 200 ppm TWA; 260 mg/m3 TWA; 250 ppm STEL; 325 mg/m3 STEL

Section 9 - Physical and Chemical Properties

Physical State: Liquid
Appearance: Light Yellow
Odor: Alcohol-like
Vapor Pressure: Not available
Odor threshold: Not available
Vapor Density: Not available
pH: 4.00-5.10
Relative density: Not available
Melting point/freezing point: Not available
Solubility: Not available
Boiling Point: Not available
Flash point: Not available
Evaporation Rate: Not available
Flammability (solid, gas): Not available
Partition coefficient: n-octanol/water: Not available
Auto-ignition temperature: Not available
Decomposition temperature: Not available
Viscosity: Not available
Specific Gravity/Density: Not available

NOTE: Static discharge could act as an ignition source.

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures. Reacts violently with oxidizers: Risk of fire/explosion.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Open flame. Incompatible materials, ignition sources, excess heat, and oxidizers.

Incompatibilities with Other Materials: Strong oxidizing agents, acids, alkali metals, ammonia, hydrazine, peroxides, sodium, acid anhydrides, calcium hypochlorite, chromyl chloride, nitrosyl perchlorate, bromine pentafluoride, perchloric acid, silver nitrate, mercuric nitrate, potassium-tert-butoxide, magnesium perchlorate, acid chlorides, platinum, uranium hexafluoride, silver oxide, iodine heptafluoride, acetyl bromide, disulfuryl difluoride, tetrachlorosilane + water, acetyl chloride, permanganic acid, ruthenium (VIII) oxide, uranyl perchlorate, potassium dioxide.

Hazardous Decomposition Products: Carbon oxides, irritating toxic fumes and gases.

Section 11 - Toxicological Information

CAS#8050-09-7 Rosin, gum: RTECS#: VL0480000

LD50 Oral: >2000 mg/kg (rat)

LD50 Dermal: >2000 mg/kg (rat)

LC50 Inhalation: 1.5 mg/L 4h (rat)

Carcinogenicity: Rosin, gum CAS#8050-09-7 is not listed by IARC, NTP, ACGIH, OSHA, or California Prop 65.

CAS#64-17-5 Ethyl Alcohol: RTECS#: KQ6300000

LD50 Oral: 7060 mg/kg (rat)

LD50 Dermal: Not available

LC50 Inhalation: 20000 ppm 10h (rat)

Draize test, rabbit, eye: 500 mg Severe.

Draize test, rabbit, eye: 500 mg/24H Mild.

Draize test, rabbit, skin: 20 mg/24H Moderate.

Carcinogenicity: Ethyl Alcohol CAS#64-17-5 is listed by the IARC (Group 1, Carcinogenic to Humans), the NTP, and the ACGIH (A3, Animal Carcinogen). Ethyl Alcohol is listed by California Prop. 65 as a developmental carcinogen (alcoholic beverages).

CAS#67-56-1 Methyl Alcohol: RTECS#: PC1400000

LD50 Oral: 6200 mg/kg (rat)

LD50 Dermal: 15800 mg/kg (rabbit)

LC50 Inhalation: 64000 ppm 4h (rat)

Carcinogenicity: Methyl Alcohol CAS#67-56-1 is not listed by the IARC, the NTP, or the ACGIH. Methyl Alcohol is listed by California Prop. 65 as a developmental carcinogen.

Epidemiology: Ethanol has been shown to produce fetotoxicity in the embryo or fetus of laboratory animals. Prenatal exposure to ethanol is associated with a distinct pattern of congenital malformations that have collectively been termed the "fetal alcohol syndrome".

Teratogenicity: Oral, Human - woman: TDLo = 41 gm/kg (female 41 week(s) after conception) Effects on Newborn - Apgar score (human only) and Effects on Newborn - other neonatal measures or effects and Effects on Newborn - drug dependence.

Reproductive Effects: Intrauterine, Human - woman: TDLo = 200 mg/kg (female 5 day(s) pre-mating) Fertility - female fertility index (e.g. # females pregnant per # sperm positive females; # females pregnant per # females mated).

Developmental Effects: Not available.

Neurotoxicity: Not available.

Mutagenicity: DNA Inhibition: Human, Lymphocyte = 220 mmol/L.; Cytogenetic Analysis: Human, Lymphocyte = 1160 gm/L.; Cytogenetic Analysis: Human, Fibroblast = 12000 ppm.; Cytogenetic Analysis: Human, Leukocyte = 1 pph/72H (Continuous).; Sister Chromatid Exchange: Human, Lymphocyte = 500 ppm/72H (Continuous).

Other Studies: Standard Draize Test(Skin, rabbit) = 20 mg/24H (Moderate) Standard Draize Test: Administration into the eye (rabbit) = 500 mg (Severe).

Specific Organ Toxicity, Single Exposure: Respiratory system, central nervous system, and optic nerve.

Specific Organ Toxicity, Repeated Exposure: Kidney, liver, and blood.

Note: Rosin may cause an allergic skin reaction. Symptoms of an allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

The toxicological properties of this material have not been thoroughly investigated.

Section 12 - Ecological Information

Ecotoxicity: Do not release to the environment. Do not release to drains. Toxic to aquatic life with long lasting effects.

CAS#8050-09-7 Rosin, gum:

EC50, freshwater algae: 400 mg/L 72h (*desmodesmus subspicatus*)
LC50, freshwater fish: 60.3 mg/L 96h static (*brachydanio rerio*)(zebrafish)
EC50, water flea: 3.8-5.4 mg/L 48h (*daphnia magna*)
EC50, microtox: 31.5 mg/L 30min

CAS#64-17-5 Ethyl Alcohol:

EC50, freshwater algae: 275 mg/L (*chlorella vulgaris*) 72h
LC50, freshwater fish: 14200 mg/L (*pimephales promelas*)(fathead minnow) 96h
EC50, water flea: 9268 mg/L 48h, 10800 mg/L 24h
EC50, water flea: 10800 mg/L 24h
IC50, bacteria: >1000 mg/L 3h (activated sludge)
EC50, microtox: 34634 mg/L 30min (*photobacterium phosphoreum*)
EC50, microtox: 35470 mg/L 5min (*photobacterium phosphoreum*)

CAS#67-56-1 Methyl Alcohol:

LC50, freshwater fish: >10000 mg/L (*pimephales promelas*)(fathead minnow) 96h
EC50, water flea: >10000mg/L 24 h
ErC50, algae: 22000 mg/L 96h (*pseudokirchneriella subcapitata*)(green algae)
IC50, bacteria: >1000 mg/L 3h (activated sludge)
EC50, microtox: 39000 mg/L 25min
EC50, microtox: 40000 mg/L 15min
EC50, microtox: 43000 mg/L 5min

Persistence and degradability: Not available.

Bio-accumulative potential: Not available.

Mobility: Will likely be mobile in the environment due to its volatility.

Section 13 - Disposal Considerations

DISPOSAL: Dispose of in accordance with all federal, state, and local regulations.

Section 14 – Transport Information

DOT

Proper shipping name: Alcohols, N.O.S.

UN1987

PG II

Hazard class 3 (flammable)

Section 15 - Regulatory Information

Canada Regulatory Information

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the SDS contains all the information required by the CPR.

Section 16 - Additional Information

SDS Creation Date: 3-22-22

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Rowley Biochemical, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rowley Biochemical, Inc. has been advised of the possibility of such damages.