

Safety Data Sheet

Safranin O, 0.2% in 1% Acetic Acid

Section 1 - Chemical Product and Company Identification

SDS Name: Safranin O, 0.2% in 1% Acetic Acid

Catalog Numbers: SO-428, B-170-3, J-613-3

Company Identification: Transene Company, Inc., DBA ROWLEY BIOCHEMICAL, Inc.
10 ELECTRONICS AVENUE
DANVERS, MA 01923

For information, call: 978-739-4883

Emergency Number: 800-424-9300

For CHEMTREC assistance, call: 800-424-9300

Section 2 - Hazards Identification

GHS Classifications

H315-Skin corrosion/irritation: 2

H319-Serious eye damage/eye irritation: 2A

Pictograms or Hazard symbols and Hazard statement(s):



Signal Word: Warning

Hazard Statements:

H315-Causes skin irritation

H319-Causes serious eye irritation

Precautionary Statements:

P264-Wash thoroughly after handling.

P280-Wear protective gloves/eye protection/face protection.

P302+P352-If on skin: Wash with plenty of soap and water.

P305+P351+P338-If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313-If skin irritation occurs: Get medical advice/attention.
P337+P313-If eye irritation persists: Get medical advice/attention.
P362+P364-Take off contaminated clothing and wash it before reuse.

Section 3 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent
477-73-6	Safranin O	0.2 w/v
64-19-7	Glacial Acetic Acid	1 v/v
7732-18-5	Water	Balance

Section 4 - First Aid Measures

Eye Exposure: In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Get immediate medical attention.

Dermal Exposure: In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention.

Oral Exposure: If swallowed, get immediate medical advice. Do NOT induce vomiting. Rinse mouth with water.

Inhalation Exposure: If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating gases may be generated by thermal decomposition or combustion.

Extinguishing Media: Use dry chemical, carbon dioxide, dry sand, water spray, or alcohol-resistant foam.

Hazardous Combustion Products: Carbon oxides, nitrogen oxides, hydrogen chloride gas, irritating and toxic fumes and gases.

Flash Point: Not available

Autoignition Temperature: Not available

Explosion Limits, Lower: Not available

Upper: Not available

NFPA Rating: (estimated) Health: 1; Flammability: 0; Instability: 0

Section 6 - Accidental Release Measures

Procedure(s) of Personal Precaution(s):

Wear personal protective equipment. Do not ingest or inhale. Do not get on skin or clothing. Do not get in eyes. Ensure adequate ventilation.

Methods for Cleaning up: Absorb with sand, earth, or vermiculite. Carefully sweep up and containerize for proper disposal. Do not release to the environment. Do not release to drains.

Section 7 - Handling and Storage

Use care when handling. Wear personal protective equipment. Wash thoroughly after handling. Ensure adequate ventilation. Do not ingest or inhale. Do not get on skin or clothing. Do not get in eyes. Keep in a tightly closed container. Store in a cool, dry, and well-ventilated area. Keep away from incompatible materials.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant a respirator's use.

Exposure Limits:

Chemical Name	ACGIH - TLV	NIOSH - IDLH	OSHA - Final PELs
Safranin O CAS#477-73-6	Not listed	Not listed	Not listed
Glacial Acetic Acid CAS#64-19-7	10 ppm TWA 15 ppm STEL	10 ppm TWA 25 mg/m ³ TWA 15 ppm STEL 37 mg/m ³ STEL 50 ppm IDLH	10 ppm TWA 25 mg/m ³ TWA

--	--	--	--

OSHA Vacated PELs: Glacial Acetic Acid: 10 ppm TWA; 25 mg/m³ TWA

Section 9 - Physical and Chemical Properties

Physical State: Liquid
Appearance: Pinkish-Red
Odor: Vinegar-like
Vapor Pressure: Not available
Odor Threshold: Not available
Vapor Density: Not available
pH: Not available
Relative Density: Not available
Melting point/freezing point: Not available
Solubility: Soluble in water
Boiling Point: Not available
Flash Point: Not available
Evaporation Rate: Not available
Flammability (solid, gas): Not available
Partition coefficient: n-octanol/water: Not available
Autoignition Temperature: Not available
Decomposition Temperature: Not available
Viscosity: Not available
Specific Gravity/Density: Not available

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.
Conditions to Avoid: Incompatible materials, excess heat, hot surfaces, and ignition sources.
Incompatibilities with Other Materials: Strong oxidizing agents, strong bases, metals, acids, chromic acid, ethylene glycol, perchloric acid, nitric acid, phosphorous trichloride, oxidizers, sodium peroxide, strong caustics, carbonates, hydroxides, oxides, and phosphates.
Hazardous Decomposition Products: Carbon oxides, nitrogen oxides, hydrogen chloride gas, irritating and toxic fumes and gases.

Section 11 - Toxicological Information

CAS#477-73-6 Safranin O: RTECS#: SG1623000
LDLo (lowest published lethal dose) Oral: 1600 mg/kg (mouse)
LD50 Intravenous: 28740 ug/kg (rat)
LD50 Oral: Not available
LD50 Dermal: Not available
LC50 Inhalation: Not available

Carcinogenicity: Safranin O CAS#477-73-6 is not listed by IARC, NTP, ACGIH, OSHA, or California Prop. 65.

CAS#64-19-7 Glacial Acetic Acid: RTECS#: AF1225000

LD50 Oral: 3310 mg/kg (rat)

LD50 Dermal: 1060 mg/kg (rabbit)

LC50 Inhalation: 11.4 mg/L 4h (rat)

Investigated as a mutagen, reproductive effector.

Skin corrosion/irritation: skin (rabbit), causes severe burns.

Serious eye damage/eye irritation: eyes (rabbit), corrosive to eyes, and causes serious eye damage.

Carcinogenicity: Glacial Acetic Acid CAS#64-19-7 is not listed by IARC, NTP, ACGIH, OSHA, or California Prop. 65.

Note: Acetic acid is extremely destructive to all body tissue. In concentrated form, (glacial acetic acid), it is corrosive and flammable. Inhalation of concentrated vapors may cause respiratory tract irritation, coughing, and serious damage to the lining of the nose, throat, and lungs. Breathing difficulties may occur. Ingestion of concentrated acetic acid may cause stomach pain, severe swelling, severe damage to the tissue, and danger of perforation. Eye contact with concentrated acetic acid may cause pain, watering, redness, and serious damage including loss of sight. Exposure to vapor may cause intense watering and irritation to eyes. Skin contact may cause burns, pain, redness, and blistering.

Information on the likely routes of exposure: Routes of entry anticipated: oral, dermal, inhalation, and eye.

Epidemiology: Not available.

Teratogenicity: Not available.

Reproductive Effects: Not available.

Developmental Effects: Not available.

Neurotoxicity: Not available.

Mutagenicity: Histidine reversion (Ames). Mutation in bacteria. (Safranin O)

Specific Target Organ Toxicity, Single Exposure: Not available.

Specific Target Organ Toxicity, Repeated Exposure: Not available.

Symptoms associated with exposure: Ingestion may cause stomach irritation. Skin contact may cause irritation and redness. Eye contact may cause irritation, watering, redness.

The toxicological properties of this material have not been thoroughly investigated.

Section 12 - Ecological Information

Ecotoxicity: Do not release to the environment. Do not release to drains. Harmful to aquatic life.

CAS#64-19-7 Glacial Acetic Acid:

LC50, freshwater fish: 88 mg/L 96h (pimephales promelas)(fathead minnow)

LC50, freshwater fish: 75 mg/L 96h (lepomis macrochirus)(bluegill)

EC50, water flea: 95 mg/L 24h

EC50, microtox: 8.8 mg/L 5min (photobacterium phosphoreum)

Persistence and degradability: Not available.

Bio-accumulative potential: Not available.

Mobility: Will likely be mobile in the environment due to its water solubility.

Section 13 - Disposal Considerations

DISPOSAL: Dispose of in accordance with all federal, state, and local regulations.

Section 14 – Transport Information

DOT

Non-Regulated

Section 15 - Regulatory Information

Canada Regulatory Information

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the SDS contains all the information required by the CPR.

Section 16 - Additional Information

SDS Creation Date: 1/8/2010

Revision #1: YM 4/28/14

Revision #2: MH 7/5/14

Revision #3: 11-21-19

Revision #4: 12-15-22

Revision #5: 6-2-25

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Rowley Biochemical, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary

damages, howsoever arising, even if Rowley Biochemical, Inc. has been advised of the possibility of such damages.