

Safety Data Sheet

Zinc Formalin with Zinc Sulfate

Section 1 - Chemical Product and Company Identification

SDS Name: Zinc Formalin with Zinc Sulfate

Catalog Numbers: SO-579, A-118-1, A-119-1, F-202, F-395-9

Company Identification: Transene Company, Inc., DBA ROWLEY BIOCHEMICAL, Inc.
10 ELECTRONICS AVENUE
DANVERS, MA 01923

For information, call: 978-739-4883

Emergency Number: 800-424-9300

For CHEMTREC assistance, call: 800-424-9300

Section 2 - Hazards Identification

GHS Classifications

H315-Skin corrosion/irritation: 2

H317-Sensitisation, skin: 1

H318-Serious eye damage/eye irritation: 1

H335-Specific target organ toxicity, single exposure; Respiratory tract irritation: 3

H341-Germ cell mutagenicity: 2

H350-Carcinogenicity: 1A

H370-Specific target organ toxicity, single exposure: 1

H372-Specific target organ toxicity, repeated exposure: 1

H402-Hazardous to the aquatic environment, acute hazard: 3

1% of the mixture consists of ingredients of unknown acute inhalation toxicity.

Pictograms or Hazard symbols and Hazard statement(s):



Signal Word: Danger

Hazard Statements:

H315-Causes skin irritation

H317-May cause an allergic skin reaction
 H318-Causes serious eye damage
 H335-May cause respiratory irritation
 H341-Suspected of causing genetic defects
 H350-May cause cancer
 H370-Causes damage to organs (target organs: respiratory system, central nervous system, and optic nerve)
 H372-Causes damage to organs through prolonged or repeated exposure (target organs: kidney, liver, heart, spleen, and blood)
 H402-Harmful to aquatic life

Precautionary Statements:

P201-Obtain special instructions before use.
 P202-Do not handle until all safety precautions have been read and understood.
 P260-Do not breathe dust/fume/gas/mist/vapours/spray.
 P261-Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264-Wash thoroughly after handling.
 P270-Do not eat, drink, or smoke when using this product.
 P271-Use only outdoors or in a well-ventilated area.
 P272-Contaminated work clothing should not be allowed out of the workplace.
 P273-Avoid release to the environment.
 P280-Wear protective gloves/protective clothing/eye protection/face protection.
 P302+P352-If on skin: Wash with plenty of soap and water.
 P304+P340-If inhaled: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338-If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308+P311-If exposed or concerned: Call a Poison Center/doctor.
 P308+P313-If exposed or concerned: Get medical advice/attention.
 P310-Immediately call a Poison Center/doctor.
 P312-Call a Poison Center/doctor if you feel unwell.
 P314-Get medical advice/attention if you feel unwell.
 P332+P313-If skin irritation occurs: Get medical advice/attention.
 P333+P313-If skin irritation or rash occurs: Get medical advice/attention.
 P362+P364-Take off contaminated clothing and wash it before reuse.
 P403+P233-Store in a well-ventilated place. Keep container tightly closed.
 P405-Store locked up.
 P501-Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent
7446-20-0	Zinc Sulfate Heptahydrate	1 w/v
50-00-0	Formaldehyde, 37-40%	1.4-1.5 v/v
67-56-1	Methanol	0.6 v/v
7732-18-5	Water	Balance

Section 4 - First Aid Measures

Eye Exposure: In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Get medical attention.

Dermal Exposure: In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Get immediate medical attention.

Oral Exposure: If swallowed, get immediate medical advice. Do NOT induce vomiting. Rinse mouth with water.

Inhalation Exposure: If inhaled, remove to fresh air. Get immediate medical attention.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating gases may be generated by thermal decomposition or combustion.

Extinguishing Media: Use dry chemical, carbon dioxide, dry sand, water spray, or alcohol-resistant foam.

Hazardous Combustion Products: Carbon oxides, sulfur oxides, zinc/zinc oxides, hydrogen, formaldehyde, irritating and toxic fumes and gases.

Flash Point: Not available

Autoignition Temperature: Not available

Explosion Limits, Lower: Not available

Upper: Not available

NFPA Rating: (estimated) Health: 2; Flammability: 0; Instability: 0

Note: Formaldehyde causes burns of the eyes, skin, and mucous membranes.

Section 6 - Accidental Release Measures

Procedure(s) of Personal Precaution(s):

Wear personal protective equipment. Do not ingest or inhale. Do not get on skin or clothing. Do not get in eyes. Ensure adequate ventilation.

Methods for Cleaning up: Absorb with sand, earth, or vermiculite. Carefully sweep up and containerize for proper disposal. Do not release to the environment. Do not release to drains.

Section 7 - Handling and Storage

Use care when handling. Use only under a chemical fume hood. Wear personal protective equipment. Wash thoroughly after handling. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Keep in a tightly closed and non-metal container. Store in a cool, dry, and well-ventilated area. Keep away from incompatible materials.

Section 8 - Exposure Controls, Personal Protection

Engineering Controls: Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant a respirator's use.

Exposure Limits:

Chemical Name	ACGIH - TLV	NIOSH - IDLH	OSHA - Final PELs
Formaldehyde CAS#50-00-0	0.1 ppm TWA 0.3 ppm STEL	0.1 ppm Ceiling 0.016 ppm TWA 20 ppm IDLH	0.75 ppm TWA 2 ppm STEL
Methyl Alcohol CAS#67-56-1	200 ppm TWA 250 ppm Skin STEL	200 ppm TWA 260 mg/mg ³ TWA 250 ppm STEL 325 mg/m ³ STEL 6000 ppm IDLH	200 ppm TWA 260 mg/m ³ TWA
Zinc Sulfate Heptahydrate CAS#7446-20-0	Not listed	Not listed	Not listed

OSHA Vacated PELs: Formaldehyde: 5 ppm Ceiling; 3 ppm TWA; 10 ppm STEL
Methyl Alcohol: 200 ppm TWA; 260 mg/mg TWA; 250 ppm STEL;
325 mg/m³ Skin STEL

Section 9 - Physical and Chemical Properties

Physical State: Liquid
Appearance: Clear, colorless
Odor: Pungent
Vapor Pressure: Not available
Odor Threshold: Not available
Vapor Density: Not available
pH: 3.75-4.75
Relative Density: Not available
Melting point/freezing point: Not available
Solubility: Soluble in water
Boiling Point: Not available
Flash Point: Not available
Evaporation Rate: Not available
Flammability (solid, gas): Not available
Partition coefficient: n-octanol/water: Not available
Autoignition Temperature: Not available
Decomposition Temperature: Not available
Viscosity: Not available
Specific Gravity/Density: Not available

Section 10 - Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.
Conditions to Avoid: Incompatible materials, ignition sources, excess heat, and freezing.
Incompatible Materials: Strong oxidizing agents, strong bases, acids, reducing agents, aniline, phenol, isocyanates, acid anhydrides, amines, peroxides, acid chlorides, alkali metals, nitriles, acid halides, metals.
Hazardous Decomposition Products: Carbon oxides, sulfur oxides, zinc/zinc oxides, hydrogen, formaldehyde, irritating and toxic fumes and gases.

Section 11 - Toxicological Information

CAS#50-00-0 Formaldehyde:

LD50 Oral: 500 mg/kg (rat)
LD50 Dermal: 270 mg/kg (rabbit)
LC50 Inhalation: 0.578 mg/L 4h (rat)

Carcinogenicity: Formaldehyde CAS#50-00-0 is not listed by OSHA. Formaldehyde is listed by IARC (Group 1, Carcinogenic to Humans), NTP (Known Carcinogen), ACGIH (A1, Known Human Carcinogen), and California Prop. 65 as a carcinogen.

CAS#67-56-1 Methyl Alcohol: RTECS#: PC1400000

LD50 Oral: 100.1 mg/kg (expert judgement)
LD50 Dermal: 300.1 mg/kg (expert judgement)

LC50 Inhalation: 3.1 mg/L 4h (expert judgement)

Mutagen, reproductive effector per RTECS.

Draize test, rabbit, eye: 100 mg/24h Moderate Irritant.

Draize test, rabbit, skin: 20 mg/24h Moderate Irritant.

Carcinogenicity: Methyl Alcohol CAS#67-56-1 is not listed by IARC, NTP, ACGIH, or OSHA. Methyl Alcohol is listed by California Prop. 65 as a developmental carcinogen.

CAS#7446-20-0 Zinc Sulfate Heptahydrate: RTECS#: ZH5300000

LD50 Oral: 1260 mg/kg (rat)

LD50 Dermal: >2000 mg/kg (rat)

LC50 Inhalation: Not available

Carcinogenicity: Zinc Sulfate Heptahydrate CAS#7446-20-0 is not listed by IARC, NTP, ACGIH, OSHA, or California Prop. 65.

Information on the likely routes of exposure: Routes of entry anticipated: oral, dermal, inhalation, and eye.

Epidemiology: Not available.

Teratogenicity: Teratogenic effects have occurred in experimental animals.

(Formaldehyde)

Reproductive Effects: Experiments have shown reproductive toxicity effects on laboratory animals. (Formaldehyde)

Developmental Effects: Developmental effects have occurred in experimental animals.

(Formaldehyde)

Neurotoxicity: Not available.

Mutagenicity: Mutagenic effects have occurred in humans. (Formaldehyde)

Specific Target Organ Toxicity, Single Exposure: Respiratory system, central nervous system, and optic nerve.

Specific Target Organ Toxicity, Repeated Exposure: Kidney, liver, heart, spleen, and blood.

Symptoms associated with exposure: Headache, dizziness, tiredness, nausea, gastrointestinal irritation, diarrhea, and vomiting. Causes serious eye damage and risk of blindness. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, and flushing.

The toxicological properties of this material have not been thoroughly investigated.

Section 12 - Ecological Information

Ecotoxicity: Do not release to the environment. Do not release to drains. Harmful to aquatic life. May cause long-term adverse effects in the aquatic environment.

CAS#50-00-0 Formaldehyde:

LC50, freshwater fish: 15 mg/L 96h (leuciscus idus)(golden orfe)

EC50, water flea: 20 mg/L 96h
EC50, water flea: 2 mg/L 48h

CAS#67-56-1 Methyl Alcohol:

LC50, freshwater fish: 15400 mg/L 96h flow-through (lepomis macrochirus)(bluegill)
LC50, freshwater fish: 19000 mg/L 96h (oncorhynchus mykiss)(rainbow trout)
EC50, water flea: 18260 mg/L 96h semi-static (daphnia magna)
ErC50, algae: 22000 mg/L 96h (pseudokirchneriella subcapitata)(green algae)
IC50, bacteria: >1000 mg/L 3h (activated sludge)

CAS#7446-20-0 Zinc Sulfate Heptahydrate:

LC50, freshwater fish: 0.330 mg/L 96h static (pimephales promelas)(fathead minnow)
EC50, freshwater algae: 64.8 mg/L 72h (chlorella vulgaris)
EC50, water flea: 1.4 mg/L 48h static (daphnia magna)

Persistence and degradability: Not available.

Bio-accumulative potential: Not available.

Mobility: Will likely be mobile in the environment due to its water solubility.

Section 13 - Disposal Considerations

DISPOSAL: Dispose of in accordance with all federal, state, and local regulations.

Section 14 - Transport Information

DOT

Non-Regulated

Section 15 - Regulatory Information

Canada Regulatory Information

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the SDS contains all the information required by the CPR.

Section 16 - Additional Information

SDS Creation Date: 11/1/12

Revision #1: YM 5/28/14

Revision #2: 12-30-21

Revision #3: 3-20-24

Revision #4: 1-5-26

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Rowley Biochemical, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages, howsoever arising, even if Rowley Biochemical, Inc. has been advised of the possibility of such damages.