Safety Data Sheet

HYDROQUINONE, 0.8% AQUEOUS

Section 1 - Chemical Product and Company Identification

 SDS Name: Hydroquinone, 0.8% Aqueous
 Catalog Numbers: SO-808
 Company Identification: Transene Company, Inc., DBA ROWLEY BIOCHEMICAL, Inc. 10 ELECTRONICS AVENUE DANVERS, MA 01923
 For information, call: 978-739-4883
 Emergency Number: 800-424-9300
 For CHEMTREC assistance, call: 800-424-9300

Section 2 - Hazards Identification

GHS Classifications

H302-Acute toxicity, oral: 4 H317-Sensitisation, skin: 1 H318-Serious eye damage/eye irritation: 1 H341-Germ cell mutagenicity: 2 H351-Carcinogenicity: 2 H400-Hazardous to the aquatic environment, acute toxicity: 1 H410-Hazardous to the aquatic environment, chronic toxicity: 1

Pictograms or Hazard Symbols and Hazard Statement(s):



Signal Word: Danger

Hazard Statements:

H302-Harmful if swallowed

H317-May cause an allergic skin reaction

H318-Causes serious eye damage

H341-Suspected of causing genetic defects

H351-Suspected of causing cancer

H400-Very toxic to aquatic life

H410-Very toxic to aquatic life with long lasting effects

Precautionary Statements:

P201-Obtain special instructions before use.

P202-Do not handle until all safety precautions have been read and understood.

P261-Avoid breathing dust/fume/gas/mist/vapours/spray.

P264-Wash thoroughly after handling.

P270-Do not eat, drink, or smoke when using this product.

P272-Contamainated work clothing should not be allowed out of the workplace.

P273-Avoid release to the environment.

P280-Wear protective gloves/eye protection/face protection.

P281-Use personal protective equipment as required.

P301+P312-If swallowed: Call a Poison Center or doctor/physician if you feel unwell.

P302+P352-If on skin: Wash with plenty of soap and water.

P305+P351+P338-If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313-If exposed or concerned: Get medical advice/attention.

P310-Immediately call a Poison Center of doctor/physician.

P330-Rinse mouth.

P333+P313-If skin irritation or rash occurs: Get medical advice/attention.

P363-Wash contaminated clothing before reuse.

P391-Collect spillage.

P405-Store locked up.

P501-Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3 - Composition, Information on Ingredients

CAS#	Chemical Name	Percent
123-31-9	Hydroquinone	0.8 w/v
7732-18-5	Water	balance

Section 4 - First Aid Measures

Eye Exposure: In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.

Dermal Exposure: In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Seek medical attention.

Oral Exposure: If swallowed, seek immediate medical advice. Rinse mouth with water. After cleaning mouth, drink water.

Inhalation Exposure: If inhaled, remove to fresh air. If breathing becomes difficult, call a physician.

Section 5 - Fire Fighting Measures

General Information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating gases may be generated by thermal decomposition or combustion.

Extinguishing Media: Use dry chemical, carbon dioxide, dry sand, water spray, or alcohol-resistant foam.

Hazardous Combustion Products: Carbon oxides.

Flash Point: Not available Auto ignition Temperature: Not available Explosion Limits, Lower: Not available Upper: Not available NFPA Rating: (estimated) Health: 2; Flammability: 0; Instability: 0

Section 6 - Accidental Release Measures

Procedure(s) of Personal Precaution(s):

Wear personal protective equipment. Do not ingest or inhale. Do not get on skin or clothing. Do not get in eyes. Ensure adequate ventilation.

Methods for Cleaning up: Absorb with sand, earth, or vermiculite. Carefully sweep up and containerize for proper disposal. Do not release to the environment. Do not release to drains. This material is very toxic to aquatic life with long lasting effects.

Section 7 - Handling and Storage

Use care when handling. Wear personal protective equipment. Ensure adequate ventilation. Wash thoroughly after handling. Do not ingest or inhale. Avoid contact with skin, eyes, and clothing. Store in a tightly closed container in the refrigerator (4°C). Keep away from incompatible materials. Light sensitive.

Engineering Controls: Use explosion-proof ventilation equipment. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.

Personal Protective Equipment

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure. **Respirators:** A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI 788.2 requirements or European Standard EN 149 must be followed whenever

ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant a respirator's use.

Exposure Limits:

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Hydroquinone CAS#123-31-9	1 mg/m3 TWA	2 mg/m3 Ceiling 50 mg/m3 IDLH	2 mg/m3 TWA

OSHA Vacated PELs: Hydroquinone: 2 mg/m3 TWA

Section 9 - Physical and Chemical Properties

Physical State: Liquid Appearance: Clear **Odor:** Odorless Vapor Pressure: Not available **Odor threshold:** Not available Vapor Density: Not available **pH:** 4.4-6.4 Relative density: Not available Melting point/freezing point: Not available **Solubility:** Soluble in water **Boiling Point:** Not available Flash point: Not available **Evaporation Rate:** Not available Flammability (solid, gas): Not available Partition coefficient: n-octanol/water: Not available Auto-ignition temperature: Not available **Decomposition temperature:** Not available Viscosity: Not available Specific Gravity/Density: Not available

Chemical Stability: Stable under normal pressures. Store in the refrigerator (4°C). **Conditions to Avoid:** Incompatible materials, ignition sources, excess heat, and freezing. Light sensitive.

Incompatibilities with Other Materials: Strong oxidizing agents and strong bases. **Hazardous Decomposition Products:** Carbon oxides.

Section 11 - Toxicological Information

CAS#123-31-9 Hydroquinone: RTECS#: MX3500000

LD50 Oral: 298 mg/kg (rat) LD50 Dermal: 74800 mg/kg (rabbit) LC50 Inhalation: Not available

Carcinogenicity: Hydroquinone CAS#123-31-9 is not listed by IARC, NTP, OSHA, or California Prop 65. Hydroquinone is listed by ACGIH (A3, Animal Carcinogen).

Epidemiology: Not available
Teratogenicity: Not available
Reproductive Effects: Experiments have shown reproductive toxicity effects on laboratory animals.
Developmental Effects: Not available
Neurotoxicity: Not available
Mutagenicity: Mutagenicity category 2
Specific Target Organ Toxicity, Single Exposure: Not available
Specific Target Organ Toxicity, Repeated Exposure: Not available

Note: Causes serious eye damage. May cause an allergic skin reaction.

The toxicological properties of this material have not been thoroughly investigated.

Section 12 - Ecological Information

Ecotoxicity: Do not release to the environment. Do not release to drains. Very toxic to aquatic life with long-lasting effects.

CAS#123-31-9 Hydroquinone:

EC50, freshwater algae: 0.335 mg/L 72h (pseudokirchneriella subcapitata) LC50, freshwater fish: 0.17 mg/L 96h (brachydanio rerio) LC50, freshwater fish: 0.044 mg/L 96h flow-through (oncorhynchus mykiss) LC50, freshwater fish: 0.044 mg/L 96h flow-through (pimephales promelas)(fathead minnow) LC50, freshwater fish: 0.1-0.18 mg/L 96h static (pimephales promelas)(fathead minnow) EC50, microtox: 0.038 mg/L 15min EC50, microtox: 0.0382 mg/L 30min EC50, microtox: 0.042 mg/L 5min EC50, microtox: 23.75 mg/L 60min EC50, water flea: 0.29 mg/L 48h (daphnia magna)

Persistence and degradability: Not availableBio-accumulative potential: Not availableMobility: Will likely be mobile in the environment due to its water solubility.

Section 13 - Disposal Considerations

DISPOSAL: Dispose of in accordance with all federal, state, and local regulations.

Section 14 – Transport Information

DOT Non-Regulated

Section 15 - Regulatory Information

Canada Regulatory Information

WHMIS Classification: This product has been classified in accordance with the hazard criteria of the CPR, and the SDS contains all the information required by the CPR.

Section 16 - Additional Information

SDS Creation Date: 11-3-17 **Revision #1** 12-20-18 **Revision #2.** 2-22-22

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Rowley Biochemical, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Rowley Biochemical, Inc. has been advised of the possibility of such damages.